

Milcor.

METAL

CEILINGS AND WALLS

CATALOG NO. 36

Recd 3/1/36
Milcor

Milcor

METAL

CEILINGS AND WALLS

Artistic Combinations Showing the
Latest Styles in Decorative Metal Design

CATALOG No. 36

PRINTED
IN
U.S.A.



In the beautiful church interior illustrated above Milcor Spanish Texture is used to give the ceiling its exceptional attractiveness as well as to permanently protect those who worship below. It is the St. Paul's English Lutheran Church at Waterloo, Wisconsin. Rev. F. O. Broesicke, Pastor.

The Trend is to Metal for Modern Beauty and Permanence

THE most outstanding tendency in the building industry today is the increasing use of metal for all types of structures.* The striking features of America's latest sky-scrapers have been achieved through the use of metal.

New effects are constantly being secured with metal which has advantages far superior to the building materials it is replacing. As a result, metal has been accorded an unprecedented public acceptance which will gain tremendous momentum in years to come as it proves itself in the popular mind as it has done in the minds of architects and builders.

It is easy to understand why there is no adequate substitute for metal ceilings and walls, particularly when the beautiful modern designs are considered. For beauty, fire safeness, general safety, economy of erection and freedom from maintenance expense, no other type of ceiling or wall is quite so satisfactory.

Metal is permanent, sanitary and can be kept clean and bright more easily and at less expense than any other material.

Milcor "Invisible Joint" Metal Ceilings and Walls have been steadily increasing in popularity for more than a quarter of a century. Recent developments in modern design together with new practical ideas for application now make them unsurpassed in producing fine, artistic effects adapted to every type of structure from homes to sky-scrapers.

Architects, contractors and owners have for years appreciated the advantages of Milcor Metal Ceilings and Walls. The best thought and skill of the most accomplished designers and artisans in ornamental metal are embodied in each Milcor unit. The motifs are authentic, their detail correct, their treatment finished.

Ornamental plastering and intricate stucco effects have been faithfully reproduced in metal. Such varieties of designs and combinations are available that the most discriminating critics of interior architecture can be satisfied. There is a wide range of architectural motifs from which to satisfy any preference or meet any requirement.

In this catalog is illustrated a number of the most attractive designs of Milcor "Invisible Joint" Metal Ceilings and Walls. There are hundreds of other designs available which are not shown in this book. No Milcor design, however, is obsolete and any of them may be made up on short notice.

It is also possible, at nominal additional cost, to have special designs made for exclusive use. Milcor has created many exceptionally beautiful modern interiors through this service which makes possible a widely diversified use of the limitless opportunities of design in metal.



There are no ceilings as appropriate for retail stores as those made of metal by Milcor. Their permanent protection, economy, and freedom from maintenance make for lasting satisfaction.

The illustration below of the Gast Monument Works in Chicago shows the adaptability of Milcor ceilings to unusual construction.





The Snodgrass Auto Sales Showrooms at Hammond, Indiana are tremendously beautified by the Milcor ceiling with its substantial looking beam construction.

Kitchens and other rooms in private homes can be renovated economically and attractively with Milcor designs.





Milcor Spanish Texture lends itself appropriately to the finest and most modern drug stores, as evidenced by the illustration of the Coolidge Drug Company, Chicago, shown above.

The minds of children are at ease and receptive to school work when there is no fear of falling plaster. The many points of superiority of Milcor metal ceilings make them ideal for classrooms.



A New MILCOR Creation



Patent Number 1,783,454

Spanish Texture Metal Ceilings and Walls

COMBINATION DESIGN No. 4000

Composed of: FIELD PLATE No. 4001 in sheets 24" x 48"

CORNICE . . No. 4010, 2½" Projection 5" Drop

No mitres furnished for this cornice.



LIST PRICE . . . \$10.00 per sq.

The trend toward rough textured, color toned walls and ceilings suggesting the Spanish motif in architecture has become universally popular. Milcor Metal Ceiling and Wall design No. 4000 was created in response to this demand.

Walls and Ceilings in new and old buildings done with this Milcor Spanish Texture metal finish

take on new character. When painted in plaster tint effect, this new design forms pleasing, modern interiors, firesafe and permanent.

Complete instructions for the erection of Milcor Spanish Texture Ceiling and for painting it to reproduce an antique plaster effect will be sent upon request.



COLONIAL—Design No. 2735

A beautiful, conservative Flush Back pattern, which meets the modern tendency toward simplicity

Specifications


Units in this combination	List Prices
No. 2432 Cornice	10c per lin. ft.
No. 2432 "A" or "B" Cornice Mitres	60c each
No. 2244 Molded Filler	8½c per sq. ft.
No. 2244 Molded Filler Mitres	8½c per sq. ft.
No. 2700 Field Plate in sheets 24"x48" ..	8c per sq. ft.

List Prices

Per Square (100 sq. ft.) for this complete Combination Design, including all units

	Per square
Areas 1200 sq. ft. or more	\$ 8.80
Areas 440 to 1200 sq. ft.	9.50
Areas 300 to 440 sq. ft.	9.80
Areas not exceeding 300 sq. ft.	10.35

Field Plates are 7/8 inch deep. A very practical and popular design.



COLONIAL—Design No. 2765
A pleasing design for any interior.

Specifications



Units in this combination

	List Prices
No. 1932 Cornice 6" Proj. 6" Deep	9½c per lin. ft.
No. 1932 "A" or "B" Cornice Mitres	60c each
No. 1743 Plain Filler	8c per sq. ft.
No. 2700 Field Plate, in sheets 24"x48"	8c per sq. ft.

List Prices

Per Square (100 sq. ft.) for this complete Combination Design, including all units



	Per square
Areas 1200 sq. ft. or more	\$ 8.70
Areas 440 to 1200 sq. ft.	9.10
Areas 300 to 440 sq. ft.	9.30
Areas not exceeding 300 sq. ft.	9.65



COLONIAL—Design No. 2745



One of the latest conservative combinations

Specifications		List Prices	
Units in this combination		Per Square (100 sq. ft.) for this complete Combination Design, including all units	
No. 2432 Cornice	10c per lin. ft.	Areas 1200 sq. ft. or more	\$ 8.80
No. 2432 "A" or "B" Cornice Mitres	60c each	Areas 440 to 1200 sq. ft.	9.50
No. 2244 Molded Filler	8½c per sq. ft.	Areas 300 to 440 sq. ft.	9.80
No. 2244 "A" or "B" Molded Filler Mitres	8½c per sq. ft.	Areas not exceeding 300 sq. ft.	10.35
No. 2225 Field Plate, in sheets 24"x48"	8½c per sq. ft.		



COLONIAL—Design No. 2760
One of the latest conservative combinations


Specifications		List Prices	
Units in this combination		Per Square (100 sq. ft.) for this complete Combination Design, including all units	
No. 1932	Cornice 6" Proj. 6" Deep	9½c per lin. ft.	Per square
No. 1932	"A" or "B" Cornice Mitres	60c each	Areas 1200 sq. ft. or more
No. 1743	Plain Filler	8c per sq. ft.	Areas 440 to 1200 sq. ft.
No. 2225	Field Plate, in sheets 24"x48"	8¼c per sq. ft.	Areas 300 to 440 sq. ft.
			Areas not exceeding 300 sq. ft.
			\$8.70
			9.10
			9.30
			9.65



COLONIAL—Design No. 2755

Another of the popular new combinations

Specifications		List Prices	
Units in this combination		Per Square (100 sq. ft.) for this complete Combination Design, including all units	
No. 2432	Cornice	10c per lin. ft.	Per square \$ 8.80 9.50 9.80 10.35
No. 2432	"A" or "B" Cornice Mitres	60c each	
No. 2244	Molded Filler	8½c per sq. ft.	
No. 2244	"A" or "B" Molded Filler Mitres	8½c per sq. ft.	
No. 1926	Field Plate, in sheets 24"x48"	8c per sq. ft.	



6" VARIES 12"

6" 3"

COLONIAL—Design No. 1965

Specifications



Units in this combination

	List Prices
No. 1932 Cornice, 6" Proj. 6" Deep . . .	9½c per lin. ft.
No. 1932 "A" or "B" Cornice Mitres . . .	60c each
No. 1744 Molded Filler	8c per sq. ft.
No. 1744 "A" or "B" Molded Filler Mitres	8c per sq. ft.
No. 1608 Field Plate, in sheets 24"x24" . .	8c per sq. ft.
or 24"x48"	

List Prices

Per Square (100 sq. ft.) for this complete Combination Design, including all units


	Per square
Areas 1200 sq. ft. or more	\$ 8.80
Areas 440 to 1200 sq. ft.	9.50
Areas 300 to 440 sq. ft.	9.80
Areas not exceeding 300 sq. ft.	10.35



Specifications		List Prices
Units in this combination		
No. 2434 Cornice	14c per lin. ft.
No. 2434 "A" or "B" Cornice Mitres65c each
No. 2244 Molded Filler	8½c per sq. ft.
No. 2244 "A" or "B" Molded Filler Mitres	8½c per sq. ft.
No. 2208 Field Plate, in sheets 24"x48"8½c per sq. ft.

List Prices	
Per Square (100 sq. ft.) for this complete Combination Design, including all units	
Areas 1200 sq. ft. or more	Per square \$ 9.50
Areas 440 to 1200 sq. ft.	10.00
Areas 300 to 440 sq. ft.	10.50
Areas not exceeding 300 sq. ft.	11.00

You will find on page 8, in Design No. 2735 another combination similar to the above



STUCCO—Design No. 2278

Specifications



Units in this combination

	List Prices
No. 2231 Cornice.....	15½c per lin. ft.
No. 2231 "A" or "B" Cornice Mitres.....	65c each
No. 1743 Filler.....	8c per sq. ft.
No. 1925 Molding.....	8½c per lin. ft.
No. 1925-L Molding "L"s.....	8½c each
No. 2206 Field Plate, in sheets 24"x48".....	8½c per sq. ft.

List Prices

Per Square (100 sq. ft.) for this complete Combination Design, including all units


	Per square
Areas 1200 sq. ft. or more.....	\$ 9.75
Areas 440 to 1200 sq. ft.....	10.50
Areas 300 to 440 sq. ft.....	11.00
Areas not exceeding 300 sq. ft.....	12.15



STUCCO—Design No. 2295

Specifications		List Prices
Units in this combination		
No. 2830 Cornice	26c per lin. ft.
No. 2830 "A" or "B" Cornice Mitres	85c each
No. 2244 Molded Filler	8½c per sq. ft.
No. 2244 "A" or "B" Molded Filler Mitres	8½c per sq. ft.
No. 2219 Field Plate in sheets 24"x48"	8½c per sq. ft.

List Prices	
Per Square (100 sq. ft.) for this complete Combination Design, including all units	
Areas 1200 sq. ft. or more	\$ 9.65
Areas 440 to 1200 sq. ft.	10.45
Areas 300 to 440 sq. ft.	10.80
Areas not exceeding 300 sq. ft.	11.55



STUCCO—Design No. 2267


Specifications

Units in this combination	List Prices
No. 1932 Cornice	9½c per lin. ft.
No. 1932 "A" or "B" Cornice Mitres	60c each
No. 2141 Filler	8c per sq. ft.
No. 2122 Molding	5c per lin. ft.
No. 2122-L Molding "L's"	5c each
No. 2202 Field Plate, in sheets 24"x48"	8½c per sq. ft.

List Prices

Per Square (100 sq. ft.) for this complete Combination Design, including all units


	Per square
Areas 1200 sq. ft. or more	\$ 9.40
Areas 440 to 1200 sq. ft.	10.20
Areas 300 to 400 sq. ft.	10.50
Areas not exceeding 300 sq. ft.	11.30



GREEK—Design No. 2435

Units in this combination	List Prices
No. 2432 Cornice	10c per lin. ft.
No. 2432 "A" or "B" Cornice Mitres	60c each
No. 2244 Molded Filler	8½c per sq. ft.
No. 2244 "A" or "B" Molded Filler Mitres	8½c per sq. ft.
No. 2402 Field Plate, in sheets 24"x48"	8½c per sq. ft.

List Prices	
Per Square (100 sq. ft.) for this complete Combination Design, including all units	
	Per square
Areas 1200 sq. ft. or more	\$ 9.00
Areas 440 to 1200 sq. ft.	9.50
Areas 300 to 440 sq. ft.	9.85
Areas not exceeding 300 sq. ft.	10.45





6" VARIES 4" 24"

6 1/2"

FRENCH RENAISSANCE — Design No. 1883



Specifications		List Prices	
Units in this combination		Per Square (100 sq. ft.) for this complete Combination Design, including all units	
No. 1832 Cornice.....	9 1/2 c per lin. ft.		
No. 1832 "A" or "B" Cornice Mitres.....	60 c each		
No. 1743 Filler.....	8 c per sq. ft.		
No. 1821 Molding.....	6 c per lin. ft.		
No. 1821-L Molding "L's".....	6 c each		
No. 1807 Field Plate, in sheets 24"x48".....	8 c per sq. ft.		
		Per square	
		Areas 1200 sq. ft. or more.....	\$ 8.85
		Areas 440 to 1200 sq. ft.....	9.40
		Areas 300 to 440 sq. ft.....	10.20
		Areas not exceeding 300 sq. ft.....	11.10



COLONIAL—Design No. 1998

Specifications		List Prices
Units in this combination		
No. 1931	Cornice	15½¢ per lin. ft.
No. 1931	"A" or "B" Cornice Mitres	.65¢ each
No. 1941	Bordered Filler	8½¢ per sq. ft.
No. 1941	"D" or "B" Bordered Filler Mitres	8½¢ per sq. ft.
No. 1911	Field Plate, in sheets 24"x48"	9¢ per sq. ft.



List Prices	
Per Square (100 sq. ft.) for this complete Combination Design, including all units	
Areas 1200 sq. ft. or more	\$ 9.60
Areas 440 to 1200 sq. ft.	9.95
Areas 300 to 440 sq. ft.	10.40
Areas not exceeding 300 sq. ft.	11.00



COLONIAL—Design No. 1957

Wood furring strips, $\frac{7}{8}$ " x $1\frac{1}{4}$ ", are required to carry the depth of these panels.

Specifications		List Prices	
Units in this combination		Per Square (100 sq. ft.) for this complete Combination Design, including all units	
No. 1932	Cornice	$9\frac{1}{2}$ c per lin. ft.	Per square \$ 8.90 9.50 9.80 10.70
No. 1932	"A" or "B" Cornice Mitres60c each	
No. 1941	Bordered Filler	$8\frac{1}{2}$ c per sq. ft.	
No. 1941	"D" or "B" Bordered Filler Mitres	$8\frac{1}{2}$ c per sq. ft.	
No. 1909	Field Plate, in sheets 24"x48" . .	8c per sq. ft.	
		Areas 1200 sq. ft. or more	\$ 8.90
		Areas 440 to 1200 sq. ft.	9.50
		Areas 300 to 440 sq. ft.	9.80
		Areas not exceeding 300 sq. ft.	10.70




COLONIAL—Design No. 1973

Wood furring strips, $\frac{7}{8}$ " x $1\frac{1}{4}$ ", are required to carry the depth of these panels.

Units in this combination	Specifications	List Prices
No. 1932	Cornice	9 $\frac{1}{2}$ c per lin. ft.
No. 1932	"A" or "B" Cornice Mitres	.60c each
No. 1941	Bordered Filler	8 $\frac{1}{2}$ c per sq. ft.
No. 1941	"D" or "B" Bordered Filler Mitres	8 $\frac{1}{2}$ c per sq. ft.
No. 1908	Border Plate, in sheets 12"x24"	9c per sq. ft.
No. 1908	Border Plate Corners, 12"x12"	.10c each
No. 1908	Field Plate, in sheets 24"x48"	8c per sq. ft.



List Prices	
Per Square (100 sq. ft.) for this complete Combination Design, including all units	
Areas 1200 sq. ft. or more	\$ 8.90
Areas 440 to 1200 sq. ft.	9.35
Areas 300 to 440 sq. ft.	9.75
Areas not exceeding 300 sq. ft.	10.45



COLONIAL—Design No. 1974



Wood furring strips, $\frac{7}{8}$ " x $1\frac{1}{4}$ ", are required to carry the depth of these panels.

Units in this combination	Specifications	List Prices	List Prices
No. 1932	Cornice	9 $\frac{1}{2}$ c per lin. ft.	Per Square (100 sq. ft.) for this complete Combination Design, including all units
No. 1932	"A" or "B" Cornice Mitres	60c each	
No. 1941	Bordered Filler	8 $\frac{1}{2}$ c per sq. ft.	Per square
No. 1941	"D" or "B" Bordered Filler Mitres	8 $\frac{1}{2}$ c per sq. ft.	Areas 1200 sq. ft. or more
No. 1908	Border Plate, in sheets 12"x24"	9c per sq. ft.	Areas 440 to 1200 sq. ft.
No. 1908	Border Plate Corners, 12"x12"	10c each	Areas 300 to 440 sq. ft.
No. 1908-9	Field Plate (alternating) in sheets 24"x48"	8c per sq. ft.	Areas not exceeding 300 sq. ft.



COLONIAL—Design No. 1952

Specifications		List Prices	
Units in this combination		Per Square (100 sq. ft.) for this complete Combination Design, including all units	
No. 2432 Cornice	10c per lin. ft.	Per square	
No. 2432 "A" or "B" Cornice Mitres	60c each	Areas 1200 sq. ft. or more	\$ 9.05
No. 1744 Molded Filler	8c per sq. ft.	Areas 440 to 1200 sq. ft.	9.60
No. 1744 "A" or "B" Molded Filler Mitres	8c per sq. ft.	Areas 300 to 440 sq. ft.	9.95
No. 1704 Field Plate, in sheets 24"x48"	8½c per sq. ft.	Areas not exceeding 300 sq. ft.	10.65



COLONIAL—Design No. 1935

Specifications



Units in this combination

	List Prices
No. 1932 Cornice.....	9½c per lin. ft.
No. 1932 "A" or "B" Cornice Mitres.....	60c each
No. 1744 Molded Filler.....	8c per sq. ft.
No. 1744 "A" or "B" Molded Filler Mitres.....	8c per sq. ft.
No. 1902 Field Plate, in sheets 24"x48".....	8c per sq. ft.

List Prices


Per Square (100 sq. ft.) for this complete Combination Design, including all units

	Per square
Areas 1200 sq. ft. or more.....	\$ 8.75
Areas 440 to 1200 sq. ft.....	9.25
Areas 300 to 440 sq. ft.....	9.60
Areas not exceeding 300 sq. ft.....	10.30



COLONIAL—Design No. 1967

Specifications		List Prices	
Units in this combination		Per Square (100 sq. ft.) for this complete Combination Design, including all units	Per square
No. 1931	Cornice	15½c per lin. ft.	
No. 1931	"A" or "B" Cornice Mitres . .	65c each	
No. 1941	Molded Filler	8½c per sq. ft.	
No. 1941	"D" or "B" Molded Filler Mitres	8½c per sq. ft.	
No. 1904	Field Plate, in sheets 24"x48" .	8c per sq. ft.	
		Areas 1200 sq. ft. or more	\$ 8.95
		Areas 440 to 1200 sq. ft.	9.55
		Areas 300 to 440 sq. ft.	10.00
		Areas not exceeding 300 sq. ft.	10.70



GOTHIC—Design No. 1736

One of the Newest "Invisible Joint" Designs

Specifications



Units in this combination

		List Prices
No. 1731	Cornice	9½¢ per lin. ft.
No. 1731	"A" or "B" Cornice Mitres	60¢ each
No. 2340	Molded Border Filler	8¢ per sq. ft.
No. 1701	Field Plate, in sheets 24"x48"	8½¢ per sq. ft.

List Prices

Per Square (100 sq. ft.) for this complete Combination Design, including all units

	Per square
Areas 1200 sq. ft. or more	\$ 9.25
Areas 440 to 1200 sq. ft.	9.50
Areas 300 to 440 sq. ft.	9.75
Areas not exceeding 300 sq. ft.	10.75



GOTHIC—Design No. 1735

One of the Newest "Invisible Joint" Designs



Specifications

Units in this combination	List Prices
No. 1731 Cornice	9½c per lin. ft.
No. 1731 "A" or "B" Cornice Mitres	60c each
No. 2340 Molded Border Filler	8c per sq. ft.
No. 1705 Field Plate, in sheets 24"x48"	8¼c per sq. ft.

List Prices

Per Square (100 sq. ft.) for this complete Combination Design, including all units

	Per square
Areas 1200 sq. ft. or more	\$ 9.00
Areas 440 to 1200 sq. ft.	9.30
Areas 300 to 440 sq. ft.	9.50
Areas not exceeding 300 sq. ft.	10.50





GOTHIC—Design No. 1766

Specifications

Units in this combination	List Prices
No. 1731 Cornice	9 1/2c per lin. ft.
No. 1731 "A" or "B" Cornice Mitres	60c each
No. 1740 Filler	8c per sq. ft.
No. 1722 Molding	5 1/2c per lin. ft.
No. 1722-L Molding "L's"	5 1/2c each
No. 1706 Field Plate, in sheets 24"x48"	8c per sq. ft.

List Prices



Per Square (100 sq. ft.) for this complete Combination Design, including all units	Per square
Areas 1200 sq. ft. or more	\$ 9.10
Areas 440 to 1200 sq. ft.	9.85
Areas 300 to 440 sq. ft.	10.40
Areas not exceeding 300 sq. ft.	11.40



ROMANESQUE—Design No. 2065

Units in this combination	Specifications	List Prices
No. 2434	Cornice	14c per lin. ft.
No. 2434	"A" or "B" Cornice Mitres	65c each
No. 2244	Molded Filler	8½c per sq. ft.
No. 2244	"A" or "B" Molded Filler Mitres	8½c per sq. ft.
No. 2007	Field Plate, in sheets 24"x48"	8½c per sq. ft.

Per Square (100 sq. ft.) for this complete Combination Design, including all units	List Prices
Areas 1200 sq. ft. or more	Per square \$ 9.00
Areas 440 to 1200 sq. ft.	9.50
Areas 300 to 440 sq. ft.	9.75
Areas not exceeding 300 sq. ft.	10.25



LOUIS XIV—Design No. 1135



Specifications

Units in this combination	List Prices
No. 1150 Cornice	7c per lin. ft.
No. 1150 "A" or "B" Cornice Mitres	35c each
No. 1744 Molded Filler	8c per sq. ft.
No. 1744 "A" or "B" Molded Filler Mitres	8c per sq. ft.
No. 1604 Field Plate, in sheets 24"x48" ..	8c per sq. ft.

List Prices

Per Square (100 sq. ft.) for this complete Combination Design, including all units

	Per square
Areas 1200 sq. ft. or more	\$ 8.55
Areas 440 to 1200 sq. ft.	9.00
Areas 300 to 440 sq. ft.	9.30
Areas not exceeding 300 sq. ft.	10.00



L'ART NOUVEAU—Design No. 2166



Specifications

Units in this combination	List Prices
No. 2132 Cornice	9 1/2 c per lin. ft.
No. 2132 "A" or "B" Cornice Mitres	60 c each
No. 2141 Bordered Filler	8 c per sq. ft.
No. 2122 Molding	5 c per lin. ft.
No. 2122-L Molding "L's"	5 c each
No. 2106 Field Plate, in sheets 24"x48"	8 c per sq. ft.

List Prices



Per Square (100 sq. ft.) for this complete Combination Design, including all units

	Per square
Areas 1200 sq. ft. or more	\$ 9.05
Areas 440 to 1200 sq. ft.	9.85
Areas 300 to 440 sq. ft.	10.35
Areas not exceeding 300 sq. ft.	11.40



FRENCH RENAISSANCE—Design No. 1887

Specifications		List Prices	
Units in this combination		Per Square (100 sq. ft.) for this complete Combination Design, including all units	
No. 2433	Cornice	6c per lin. ft.	
No. 2433	"A" or "B" Cornice Mitres	40c each	
No. 1744	Molded Filler	8c per sq. ft.	
No. 1744	"A" or "B" Filler Mitres	8c per sq. ft.	
No. 1806	Field Plate, in sheets 24"x48" or 24"x96"	8c per sq. ft.	
			Per square
		Areas 1200 sq. ft. or more	\$ 8.55
		Areas 440 to 1200 sq. ft.	8.95
		Areas 300 to 440 sq. ft.	9.20
		Areas not exceeding 300 sq. ft.	9.70





MISCELLANEOUS—Design No. 2350

Adaptable to either large or small rooms because of the combined small and large square effect. In a small room the small square pattern predominates; but over large areas the small squares appear to merge and form large square units appropriate to the size of the room.

List Prices



Specifications		Per Square (100 sq. ft.) for this complete Combination Design, including all units	
Units in this combination	List Prices		Per square
No. 2432 Cornice	10c per lin. ft.	Areas 1200 sq. ft. or more	\$ 8.30
No. 2432 "A" or "B" Cornice Mitres	60c each	Areas 440 to 1200 sq. ft.	8.40
No. 2341 Molded Filler	8c per sq. ft.	Areas 300 to 440 sq. ft.	8.75
No. 2310 Field Plate	8c per sq. ft.	Areas not exceeding 300 sq. ft.	9.25



MISCELLANEOUS—Design No. 2660



A pleasing and neat design for kitchens and other small rooms.

Specifications		List Prices	
Units in this combination		Per Square (100 sq. ft.) for this complete Combination Design, including all units	
No. 1150	Cornice 4" Proj., 4" Deep. . . .	7c per lin. ft.	
No. 1150	"A" or "B" Cornice Mitres . . .	35c each	
No. 1744	Molded Filler	8c per sq. ft.	
No. 1744	"A" or "B" Molded Filler Mitres	8c per sq. ft.	
No. 2600	Field Plate, in sheets 24"x24" or 24"x48"	8c per sq. ft.	
			Per square
		Areas 1200 sq. ft. or more	\$ 8.20
		Areas 440 to 1200 sq. ft.	8.30
		Areas 300 to 440 sq. ft.	8.65
		Areas not exceeding 300 sq. ft.	9.15



RESIDENCE—Design No. 2374

Specifications		List Prices	
Units in this combination		Per Square (100 sq. ft.) for this complete Combination Design, including all units	
No. 1150	Cornice	7c per lin. ft.	
No. 1150	"A" or "B" Cornice Mitres	35c each	
No. 1744	Molded Filler	8c per sq. ft.	
No. 1744	"A" or "B" Molded Filler Mitres	8c per sq. ft.	
No. 2306	Field Plate, in sheets 24"x48" or 24"x96"	8c per sq. ft.	
			Per square
		Areas 1200 sq. ft. or more	\$ 8.55
		Areas 440 to 1200 sq. ft.	9.25
		Areas 300 to 440 sq. ft.	9.95
		Areas not exceeding 300 sq. ft.	10.75



MISCELLANEOUS—Design No. 1124



Specifications

Units in this combination	List Prices
No. 1150 Cornice	7c per lin. ft.
No. 1150 "A" or "B" Cornice Mitres ..	35c each
No. 1100 Continuous Field Plate, in sheets	
24"x96"	7 $\frac{3}{4}$ c per sq. ft.

List Prices


Per Square (100 sq. ft.) for this complete Combination Design, including all units

	Per square
Areas 1200 sq. ft. or more	\$ 8.45
Areas 440 to 1200 sq. ft.	9.10
Areas 300 to 440 sq. ft.	9.25
Areas not exceeding 300 sq. ft.	10.20



MISCELLANEOUS—Design No. 1066

Specifications		List Prices	
Units in this combination		Per Square (100 sq. ft.) for this complete Combination Design, including all units	
		Per square	
No. 1134	Cornice.....	5c per lin. ft.	Areas 1200 sq. ft. or more..... \$ 7.90
No. 1134	"A" or "B" Cornice Mitres.....	30c each	Areas 440 to 1200 sq. ft..... 8.30
No. 1001	Continuous Field Plate, in sheets		Areas 300 to 440 sq. ft..... 8.70
	24"x96".....	7½c per sq. ft.	Areas not exceeding 300 sq. ft..... 8.90



CONTINUOUS—Design No. 1270

Specifications



Units in this combination

	List Prices
No. 2432 Cornice	10c per lin. ft.
No. 2432 "A" or "B" Cornice Mitres	60c each
No. 1744 Molded Filler	8c per sq. ft.
No. 1744 "A" or "B" Molded Filler Mitres	8c per sq. ft.
No. 1201 Field Plate, in sheets 24"x96" ..	8c per sq. ft.

List Prices

Per Square (100 sq. ft.) for this complete Combination Design, including all units

	Per square
Areas 1200 sq. ft. or more	\$ 8.80
Areas 440 to 1200 sq. ft.	9.50
Areas 300 to 440 sq. ft.	9.80
Areas not exceeding 300 sq. ft.	10.35



SELF-FURRING, CONTINUOUS CEILING—Design No. 1250

Specifications		List Prices	
Units in this combination		Per Square (100 sq. ft.) for this complete Combination Design, including all units	
No. 1150	Cornice	7c per lin. ft.	
No. 1150	"A" or "B" Cornice Mitres	35c each	
No. 1743	Plain Filler	8c per sq. ft.	
No. 1200	Continuous Self-Furring Ceiling Plate, in sheets 24"x98" Adjustable to 24"x96"	8c per sq. ft.	
			Per square
		Areas 1200 sq. ft. or more	\$ 8.80
		Areas 440 to 1200 sq. ft.	9.50
		Areas 300 to 440 sq. ft.	9.80
		Areas not exceeding 300 sq. ft.	10.35

It is because of the precisely re-pressed beads and die-cut nail holes, that "Invisible Joint" Metal Ceilings can be erected so quickly and economically. Workmen endorse these features because they eliminate danger of bruising the fingers and because fine looking jobs invariably result—worthy of any craftsman who takes pride in his work.



"Lock-Joint" Plates also available in these Ceiling Designs

The "Lock-Joint" Ceiling Plate is another very practical type of design, especially desirable under certain conditions. Where joists are spaced on 24-inch centers, wood furring strips are not needed when "Lock-Joint" Plates are used. The illustration above shows how the lock-joint is formed.

If joists are spaced on 24-inch centers, nailing along two parallel edges of the plate is all that is required, because the lock-joint on the other two edges is sufficient without any nailing there. Erection is very simple and demands comparatively short

time and a minimum amount of labor.



"Lock-Joint" Ceilings present a very pleasing appearance when erected. There are no nail holes or nail heads exposed—they are all covered by the lock seam. "Lock-Joint" Ceiling units fit snugly into each other and thus positively prevent any possibility of dust sifting through from the floor above.

"Lock-Joint" Ceiling Combinations are shown in this Book on Pages 42 to 48 inclusive.

Special Ceiling Plans



Special layouts and detailed plans for interiors for any type of building will be furnished gladly on request, without cost or obligation. We maintain an extensive organization and the most modern equipment to render service of this sort. Do not hesitate to make use of this service.

With our complete facilities for molding the original models, making the dies and producing the units in metal, we are in ideal position to furnish special designs in case none of our stock patterns suit the requirements. All special work is handled promptly and at minimum expense.



LOCK JOINT—Design No. 2780.

Specifications		List Prices	
Units in this combination		Per Square (100 sq. ft.) for this complete Combination Design, including all units	
No. 1932	Cornice, 6" Proj., 6" Deep . . .	9½c per lin. ft.	Per square
No. 1932	"A" or "B" Cornice Mitres . . .	60c each	\$ 9.85
No. 2341	Molded Filler	8c per sq. ft.	10.20
No. 2341	"A" or "B" Molded Filler Mitres . . .	8c per sq. ft.	10.70
No. 2702	Field Plate, in sheets 24"x24" . . .	9½c per sq. ft.	11.20



LOCK JOINT—Design No. 2785

Specifications

Units in this combination



- No. 1932 Cornice, 6" Proj., 6" Deep... 9½c per lin. ft.
 No. 1932 "A" or "B" Cornice Mitres... 60c each
 No. 2341 Molded Filler... 8c per sq. ft.
 No. 2341 "A" or "B" Molded Filler Mitres 8c per sq. ft.
 No. 2703 Field Plate, in sheets 24"x24"... 9½c per sq. ft.

List Prices

List Prices

Per Square (100 sq. ft.) for this complete Combination Design, including all units


	Per square
Areas 1200 sq. ft. or more	\$ 9.85
Areas 440 to 1200 sq. ft.	10.20
Areas 300 to 440 sq. ft.	10.70
Areas not exceeding 300 sq. ft.	11.20



LOCK-JOINT GREEK—Design No. 2470

Units in this combination	Specifications	List Prices
No. 2431	Cornice	18c per lin. ft.
No. 2431	"A" or "B" Cornice Mitres	75c each
No. 2244	Molded Filler	8½c per sq. ft.
No. 2244	"A" or "B" Molded Filler Mitres	8½c per sq. ft.
No. 2400	Lock-Joint Border Plate, 12"x24"	10c per sq. ft.
No. 2400	Lock-Joint Border Corners, 12"x12"	10½c per sq. ft.
No. 2400	Lock-Joint Field Plate, 24"x24"	9½c per sq. ft.

Per Square (100 sq. ft.) for this complete Combination Design, including all units	List Prices
Areas 1200 sq. ft. or more	Per square \$10.50
Areas 440 to 1200 sq. ft.	11.50
Areas 300 to 440 sq. ft.	12.00
Areas not exceeding 300 sq. ft.	13.00



LOCK-JOINT
GREEK—Design No. 2471

Specifications

Units in this combination

No. 2431	Cornice	18c per lin. ft.
No. 2431	"A" or "B" Cornice Mitres	75c each
No. 2244	Molded Filler	8½c per sq. ft.
No. 2244	"A" or "B" Molded Filler Mitres	8½c per sq. ft.
No. 2400	Lock-Joint Spacer Plate, 12"x12"	10½c per sq. ft.
No. 2400	Lock-Joint Spacer Plate, 12"x24"	10c per sq. ft.
No. 2400	Lock-Joint Field Plate, 24"x24"	9½c per sq. ft.


List Prices

List Prices

Per Square (100 sq. ft.) for this complete Combination Design, including all units

Per square

Areas 1200 sq. ft. or more	\$11.00
Areas 400 to 1200 sq. ft.	11.75
Areas 300 to 440 sq. ft.	12.50
Areas not exceeding 300 sq. ft.	14.00



LOCK-JOINT COLONIAL—Design No. 1955

Wood furring strips, $\frac{7}{8}$ " x $1\frac{1}{4}$ ", are necessary to carry the depth of these panels.

Units in this combination	Specifications	List Prices
No. 2431	Cornice	18c per lin. ft.
No. 2431	"A" or "B" Cornice Mitres	75c each
No. 1942	Bordered Filler	8½c per sq. ft.
No. 1942	"A" or "B" Bordered Filler Mitres	8½c per sq. ft.
No. 1900	Lock-Joint Field Plate in sheets, 24"x24"	9½c per sq. ft.

List Prices	
Per Square (100 sq. ft.) for this complete Combination Design, including all units	
Areas 1200 sq. ft. or more	Per square \$10.20
Areas 440 to 1200 sq. ft.	10.75
Areas 300 to 440 sq. ft.	11.00
Areas not exceeding 300 sq. ft.	11.10



**LOCK-JOINT
COLONIAL—Design No. 1951**

Wood furring strips, $\frac{7}{8}$ " x $1\frac{1}{4}$ ", are necessary to carry the depth of these panels.

Specifications		List Prices	
Units in this combination		Per Square (100 sq. ft.) for this complete Combination Design, including all units	
No. 2431	Cornice	18c per lin. ft.	Per square
No. 2431	"A" or "B" Cornice Mitres	75c each	
No. 1940	Filler	8c per sq. ft.	
No. 2220	Molding	6c per lin. ft.	
No. 2220-L	Molding "L's"	6c each	
No. 1900	Lock Joint Field Plate, in sheets		
	24"x24"	9½c per sq. ft.	Areas 1200 sq. ft. or more
			Areas 400 to 1200 sq. ft.
			Areas 300 to 440 sq. ft.
			Areas not exceeding 300 sq. ft.

Lock-Joint Plain Steel Tile



Lock-Joint Plain Steel Tile and Trimmings are ideal for finishing walls of Bathrooms, Kitchens, Vestibules, Restaurants, Barber Shops, Lavatories, etc., because these metal walls not only look neat and clean, but actually are the most sanitary type of construction available. They can be more easily cleaned than any other wall finish. They remain fire-safe and crack-free; they are unaffected by steam, changing temperatures or excessive moisture. They weigh less and cost less than vitreous enameled tile and can be much more easily installed. These metal walls will outlast the building itself.

Milcor Plain Steel Tile should be erected on boarded or flat surfaces only, to insure a smooth, true tile effect. The sheets interlock so that no seams are visible. Outside and inside corner pieces are furnished as shown below.



Plate No. **2602**. 6 x 6 inch Pattern
Plates 24x 24 inches.
List price **10c** per sq. ft.




Plate No. **2601**. 3 x 3 inch Pattern.
Plates 24 x 24 inches.
List price **10c** per sq. ft.



No. **2620** Border, 6 x 48 inches.
List price **8c** per lineal ft.




Inside Corner No. **2621**.
10c per lineal ft.



Outside Corner No. **2622**.
10c per lineal ft.

Sidewall Combinations




WOOD BASEBOARD NOT INCLUDED

DESIGN No. 1764

List Price \$10.00 per square (100 sq. ft.)

Specifications

Units in this combination	List Prices
No. 1730 Cornice (12" drop, 13" projection).....	22c per lin. ft.
No. 1730 "A" or "B" Mitres.....	75c each
No. 1741 Frieze.....	8c per sq. ft.
No. 1749 Wall Plate.....	10c per sq. ft.
No. 1723 Chair Rail.....	7c per lin. ft.
No. 1750 Wainscot.....	9c per sq. ft.



WOOD BASEBOARD NOT INCLUDED


DESIGN No. 1857

List Price \$8.50 per square (100 sq. ft.)

Specifications

Units in this combination	List Prices
No. 2432 Cornice (6" drop, 6" projection).....	10c per lin. ft.
No. 2432 "A" or "B" Mitres.....	60c each
No. 1806 Wall Plate.....	8c per sq. ft.
No. 1923 Chair Rail.....	6c per lin. ft.
No. 2650 Wainscot.....	9c per sq. ft.


Sidewall Combinations



DESIGN No. 2260

List Price \$10.00 per square (100 sq. ft.)

Units in this combination	Specifications	List Prices
No. 2230	Cornice (13" drop, 13" projection).....	22c per lin. ft.
No. 2230	"A" or "B" Mitres.....	75c each
No. 2215	Frieze.....	9c per sq. ft.
No. 2249	Side Wall.....	10c per sq. ft.
No. 1723	Chair Rail.....	7c per lin. ft.
No. 1850	Wainscot.....	9c per sq. ft.




DESIGN No. 2261

List Price \$10.00 per square (100 sq. ft.)

Units in this combination	Specifications	List Prices
No. 2231	Cornice (9" drop, 9" projection).....	15½c per lin. ft.
No. 2231	"A" or "B" Mitres.....	65c each
No. 2249	Side Wall.....	10c per sq. ft.
No. 1723	Chair Rail.....	7c per lin. ft.
No. 1750	Wainscot.....	9c per sq. ft.


Sidewall Combinations



DESIGN No. 1761

List Price \$8.75 per square (100 sq. ft.)

Units in this combination	Specifications	List Prices
No. 1730	Cornice (12" drop, 13" projection)	22c per lin. ft.
No. 1730	"A" or "B" Mitres	75c each
No. 1741	Frieze	8c per sq. ft.
No. 1706	Wall Plate	8c per lin. ft.
No. 1723	Chair Rail	7c per lin. ft.
No. 1750	Wainscot	9c per sq. ft.




DESIGN No. 2360

List Price \$8.70 per square (100 sq. ft.)

Units in this combination	Specifications	List Prices
No. 2432	Cornice (6" drop, 6" projection)	10c per lin. ft.
No. 2432	"A" or "B" Mitres	60c each
No. 2142	Frieze	8c per sq. ft.
No. 2306	Wall Plate	8c per sq. ft.
No. 1923	Chair Rail	6c per lin. ft.
No. 2208	Wainscot	9c per sq. ft.

Continuous Ceiling and Side Wall Plates



No. 1200


SELF-FURRING, CONTINUOUS CEILING PLATE

24" x 98". Each panel is 12" x 24"

Adaptable to joists spaced 12", 16" or 24" apart

List Price—8c per Sq. Ft.

Shown in Design No. 1250 on Page 40



No. 1201

CONTINUOUS CEILING PLATE

24" x 96". Each panel is 12" x 12"

List Price—8c per Sq. Ft.

Shown in Design No. 1270 on Page 39



CONTINUOUS CEILING PLATE No. 1806


(6" Multiple Design)

24" x 24", 24" x 48" or 24" x 96"; 1/4" deep

List Price—8c per Sq. Ft.

Shown in Designs on Pages 33 and 49

Continuous Ceiling and Side Wall Plates



CONTINUOUS PLATE No. 1001

24" x 96" only; 1/4" deep

List Price—7 1/2c per Sq. Ft.

Shown in Design on Page 38




CONTINUOUS PLATE No. 1100

24" x 96" only; 1/4" deep

List Price—7 3/4c per Sq. Ft.

Shown in Design on Page 37




CONTINUOUS PLATE No. 2307

(6" Multiple Design)

24" x 24", 24" x 48" or 24" x 96"; 3/16" deep

8c per Sq. Ft.

Continuous Ceiling and Side Wall Plates




CONTINUOUS PLATE No. 2301

(3" Multiple Design)

24" x 24", 24" x 48" or 24" x 96"

8c per Sq. Ft.

Shown in Design on Page 34



CONTINUOUS PLATE No. 2306

(4" Multiple Design)

24" x 24", 24" x 48" or 24" x 96"; $\frac{3}{16}$ " deep

List Price—8c per Sq. Ft.

Shown in Designs on Pages 36 and 51



CONTINUOUS PLATE No. 2147 — For Walls Only

24" Wide; 24", 36", 60", 72" or 96" Long; $\frac{3}{16}$ " deep

8c per Sq. Ft.



The "INVISIBLE JOINT" Feature Gives Milcor Metal Ceilings and Walls an Extra, Exclusive Advantage

The "Invisible Joint," which is an exclusive Milcor feature, enables anyone to make a perfect job of erecting these metal ceilings and walls. Each plate lines up perfectly, the lapping seams are automatically sealed, and the work of erection is greatly simplified because only one nail is required where the four corners of each plate overlap.

Not only does the "Invisible Joint" reduce erection costs, but it makes possible a finished ceiling which gives no indication of being made of metal units. It is this neat and finished appearance which is creating the demand for Milcor "Invisible Joint" Ceilings and Walls in the latest types of modern buildings.



The beads are re-pressed, making a snug and true fit. Perfect alignment and finely finished appearance are thus assured. The nail holes are die cut and accurately placed by precision machinery, so that each nail hole in the corner of any field plate, or any other unit, will match exactly in location, size and shape, the hole in the corner of any other unit of a similar design.

No dust or dirt can possibly sift through from the floor above because Milcor "Invisible Joint" units fit so snugly that not even air can pass through the joints.



Directions for Applying *MILCOR* *"Invisible Joint"* Metal Ceilings and Side Walls

A blueprint working drawing showing the arrangement of the various plates, is furnished with every ceiling. Itemized packing sheets giving quantity and catalog number and size of the material are also included.

The first thing to do when a shipment arrives is to check the number of packages with the bill of lading. The contents of each package should then be checked and counted against the packing sheet.

Check the measurements on the blueprint with the building. If any material is short in the crates, or the blueprint does not agree with the building, notify us at once before you start to erect the ceiling. After the material and blueprint are carefully checked, proceed as follows:

If possible, it is best to scaffold the whole room, but a movable scaffold may be used.

When ceiling is boarded or sheathed most of the designs can be applied directly to the sheathing. If the ceiling is plastered, wood furring strips must be employed, with exception of Plate No. 1200, shown on page 52, as it is not practical to apply other designs direct to lath or plaster. It is not necessary to remove old plaster, as the wood furring strips will hold it in place. If plaster is loose, extra strips should be placed where necessary.

Follow the blueprint carefully and observe the starting point and center line. The starting point is not always on the center line. Great care must be taken to make sure that the center line is in the exact center on both ends, as well as the middle of the room. Many rooms vary on the ends, so it is best to get the exact center on each end and strike a chalk line. This should be done lengthwise as well as crosswise of the room.

Observe whether plates start on the center line or not. If not, measure the proper distance on side of center line, and if wood strips are used, center the strips on this line. You then have the starting line one way of the building. The same operations are necessary the other way of the building.

On the plan, find the location of the starter plate. Observe the exact distance from the rear wall, and then,

with the location of the starting line, you are ready to apply the field plates.

Strike a chalk line for each wood strip placed, taking care that the proper distance required will fit in the center of the strip. If the strips are put six inches on center for field plates, no cross furring is necessary. If placed twenty-four inches on center, cross furring is necessary every forty-eight inches, or on the end of every plate. The next step depends on the design and style of ceiling. If the design has a border around the field plates, this should be put on next. If a molding or molded filler is used, this can be applied next to the field plate or border.

If a center ornamentation filler is used, this should be applied after the field plate is in position and before placing the mold or cornice. Care should be taken to get this filler in the exact center of the space. The cornice generally projects more than the mold, so great care must be used in striking the chalk line of the cornice and molding. The balance of the space will be covered by the center ornamentation filler.

After this the molding is applied. This makes a finish on one side of the filler. The cornice is applied last and completes the ceiling. We furnish stamped one-piece mitres for all cornices of a depth of four inches or over for right-angle corners only. All irregular mitres must be cut by the erector. We send a sufficient amount of material to make these mitres, but cannot be held responsible for any unnecessary waste of materials.

When iron girders are used in a building and are to be covered with metal ceiling, it is necessary to build woodwork around same to receive the ceiling, the construction of which will be shown on the drawing we furnish.

Ceiling plates cannot be arranged to accommodate electric light drops; but all such drops must be placed to conform to our drawing and layout. Lights can be dropped from either the center or corner of the plate, which necessitates but very little change to get them to come about where they are wanted.

Side walls are easily applied. One-half inch sheathing or strips are used. If strips are used, they should be placed six or twelve inches on center.

How to Estimate Area of Ceiling

It is important to follow these instructions carefully in estimating the area of ceilings:—


Add to the length of the room the depth of the cornice plus 2 inches for filler lap on both ends or wherever used.

Multiply this by the sum of the width of the room, depth of the cornice and 2-inch filler lap where used. For example: A room 26 x 54 feet, with 12-inch cornice on sides and ends, is figured as follows: (See column to the right).

Length.....	54 feet
Plus 12-inch cornice on two ends....	2 feet
Plus 2-inch filler lap on two ends.....	4 inches
	<hr/> 56 feet 4 inches
Width.....	26 feet
Plus 12-inch cornice on two sides....	2 feet
Plus 2-inch filler lap on two sides.....	4 inches
	<hr/> 28 feet 4 inches

28 feet 4 inches X 56 feet 4 inches — 1596 square feet


If rooms contain beams that must be covered, add for them as follows:



Our quotations and estimates will always include all sheet metal shown in the design specified, with one wood bracket cut to the profile of the cornices and moldings at

each lapping joint. The shipping weight of Milcor "Invisible Joint" Steel Ceilings is 60 lbs. per 100 square feet, crated. Accepted as fourth-class transportation rates.

Methods of Applying Metal Ceilings to Concrete Construction





Method No. 1

There is a growing demand for "Invisible Joint" Metal Ceilings for Cement or Concrete Buildings, especially in factory offices and show-rooms. Stucco designs, which are in architectural harmony with the cement work, are generally recommended. These ceilings are much less expensive than ornamental plaster work, fully as artistic and more dependable. Three methods of applying them are here shown.

Method No. 1

shows application of metal ceilings to building with concrete beams and book tile ceiling or roof. Toggle bolts are used to fasten the rods to the tile. $\frac{7}{8}$ by $1\frac{1}{4}$ -inch furring strips are fastened to these bolts to suspend the ceiling the proper height and regular furring strips applied cross-wise, either 6 or 24 inches on center, according to the design. See illustration above.



Method No. 2

Method No. 2


shows application of metal ceiling to concrete keyed wood strips, imbedded in the concrete when the floor is poured. $\frac{7}{8}$ by $1\frac{1}{4}$ -inch wood strips are nailed cross-wise to the keyed strips, either 6 or 25 inches on center, according to the design.

Method No. 3

No. 3 shows method of attaching metal ceiling to the concrete beams. By this method high ceilings can be brought down even with the bottom of the beam.

Send Us Plans

and we will submit blueprints showing the best method of covering. We have made a study of this subject, so can furnish complete plans and practical information.



Method No. 3

Methods of Measuring Rooms for

MILCOR
"Invisible Joint"
TRADE MARK

Metal Ceilings and Sidewalls


The diagrams below and on the following page indicate the various measurements needed for different styles of ceilings. Decide which class your room comes in, then fill in exact dimensions for all spaces as indicated by the parentheses (. . .). By following these fundamentals in making your measurements you will aid us in arranging appropriate combination designs. In case the room, for which you want the metal ceiling or side walls, does not conform to any of these five standards, give us complete details with blueprint if possible and we shall be glad to work out the complete estimate for you.

When sending in measurements for metal ceilings or sidewalls, include a simple





outline to indicate the shape and dimensions of the room. Drawings do not have to be made to scale—just give exact measurements. Of course, if you **can** send exact blueprints, do so, as they are more convenient for us to work with.

Be sure to indicate the exact size and location of all offsets, such as chimneys, elevators, skylight openings, beams and stairways. State whether or not cornice may be used across front of room.


When estimating, do not make any deductions for skylight openings of less than 100 square feet, nor for stairways, chimneys or other openings or projections of less than 50 square feet.



THEATER



Methods of Constructing False Beams and of Cover- ing Steel, Concrete or Wooden Beams.




This shows a Milcor Special False Beam No. 2850 12 in. wide, 6 in. deep, 6 in. wide at the soffit. Beam, 30c per lineal foot; Wall Beam, 22c per lineal foot; Wooden Blocks \$1.00 each.


False Beams are frequently employed as a means of dividing wide expanses of flat ceiling into panels which add architectural beauty and lend a feeling of sturdiness and strength to the room. The illustration above shows a specially designed Milcor False Beam, but many combinations are possible with Milcor Cornices, Moldings, Borders and Fillers.

Structural beams of wood, steel or concrete can be made very attractive when built up as shown here, into Milcor Metal Beams. Ornamental plastered effects are thus produced at comparatively small cost and a greater degree of firesafeness results because of this metal protection.


Milcor Ceiling Engineers will gladly work out details for appropriate beamed ceilings without any extra cost for such plans.




Showing Center
Construction



Showing Side Wall
Construction




Showing Corner
Construction




This shows how a Steel Beam, or Joist, can be furred down with wood to form an attractively shaped beam. This one is covered with a Milcor Cornice No. 2830, with a No. 1812 Border plate used for the base. Concrete joists can be covered in similar fashion.


This shows how a steel joist or I-Beam can be made architecturally beautiful and more firesafe by applying a Milcor Cornice and Filler Plate. This one is covered with No. 2431 Cornice for the sides and No. 1743 Stucco Filler for the base.




Here is a wooden beam, protected and beautified with a Milcor Cornice and filler Plate. This one is covered with No. 2431 Cornice on the sides and No. 1940 center ornamented filler for the base.



This is a complete false beam, built up with $\frac{7}{8}$ x $1\frac{1}{4}$ inch wood strips and a 1-inch board bottom. The sides are formed by Cornice No. 2230 and the base by No. 1940 Center ornamentation filler.



Molded Fillers



MOLDED FILLER NO. 2341

9, 12, 15, 18, 21 and 24 inches wide, 48 inches long
Molding, 3 inches wide.

List Price, per square foot. 8c



No. 2244 Width of Molding 4"; Total width 9", 12", 15", 18", 21", or 24"; $\frac{7}{8}$ " deep. Furnished in strips 48" long. $8\frac{1}{2}$ c per sq. ft.

Cornices and Mitres




No. 1134 Cornice, 3" deep, 3" projection; 48" long. 5c per lin. ft.
No. 1134-A Inside Mitre. 30c each
No. 1134-B Outside Mitre. 30c each




No. 2432 Cornice, 6" deep, 6" projection; 48" long. 10c per lin. ft.
No. 2432-A Inside Mitre. 60c each
No. 2432-B Outside Mitre. 60c each




No. 1150 Cornice, 4" deep, 4" projection; 48" long. 7c per lin. ft.
No. 1150-A Inside Mitre. 35c each
No. 1150-B Outside Mitre. 35c each



No. 2431 Cornice, 12" deep, 6" projection; 48" long. 18c per lin. ft.
No. 2431-A Inside Mitre. 75c each
No. 2431-B Outside Mitre. 75c each





No. 1932 Cornice, 6" deep, 6" projection; 48" long. $9\frac{1}{2}$ c per lin. ft.
No. 1932-A Inside Mitre. 60c each
No. 1932-B Outside Mitre. 60c each



No. 2434 Cornice, 9" deep, 6" projection; 48" long. 14c per lin. ft.
No. 2434-A Inside Mitre. 65c each
No. 2434-B Outside Mitre. 65c each

MILCOR VENTILATORS



ARCHITECTURAL ORNAMENTS, SKYLIGHTS, METAL SHINGLES, SPANISH TILE, AND OTHER METAL BUILDING PRODUCTS

The name Milcor has always been synonymous with high quality. It is fortunate, then, that the Milcor line includes an endless variety of sheet metal building products, each one a leader in its particular field.


Milcor Ventilators are known all over the world for their efficiency, their sturdy construction and the genuine satisfaction built into them.

Among the most interesting of Milcor products are the Spanish Tile and American Metal Shingles. They have definitely set the style in metal roofs. But they are more than good looking. They are fire-safe, weather-proof, proof against cracking, and decidedly economical.

Skylights of every description are also offered by Milcor. They are built for efficiency and guaranteed to be satisfactory.

Architectural ornaments, cornices, and marquees are stamped by Milcor from any metal desired. Some of the finest architectural details on buildings in America have been created by Milcor craftsmen. Unusual facilities make this work possible at low cost.

Send for illustrated literature, specifying materials in which you are interested.



INDEX

	Page No.
Installation Views of "Invisible Joint" Metal Ceilings and Walls.....	4, 5, 6
Description of Mechanical Details.....	41-55
Directions for Erecting Ceilings and Walls.....	55 to 59
Methods for Measuring Rooms.....	58, 59
Method of Constructing False Beams.....	60-61
Molded Fillers—Cornices and Mitres.....	62

Combination Ceiling Designs

Design No.	Page No.	Design No.	Page No.
1001.....	53	2244.....	62
1066.....	38	2260.....	50
1100.....	53	2261.....	50
1124.....	37	2267.....	17
1134.....	62	2278.....	15
1134A.....	62	2294.....	14
1134B.....	62	2295.....	16
1135.....	31	2301.....	54
1150.....	62	2306.....	53
1150A.....	62	2307.....	54
1150B.....	62	2341.....	62
1200.....	52	2350.....	34
1201.....	52	2360.....	51
1250.....	40	2374.....	36
1270.....	39	2431.....	62
1735.....	28	2431A.....	62
1736.....	27	2431B.....	62
1761.....	51	2432.....	62
1764.....	49	2432A.....	62
1766.....	29	2432B.....	62
1806.....	52	2434.....	62
1857.....	49	2434A.....	62
1883.....	19	2434B.....	62
1887.....	33	2435.....	18
1932.....	62	2470.....	44
1932A.....	62	2471.....	45
1932B.....	62	2601.....	48
1935.....	25	2602.....	48
1951.....	47	2620.....	48
1952.....	24	2621.....	48
1955.....	46	2622.....	48
1957.....	21	2660.....	35
1965.....	13	2735.....	8
1967.....	26	2745.....	10
1973.....	22	2755.....	12
1974.....	23	2760.....	11
1998.....	20	2765.....	9
2065.....	30	2780.....	42
2147.....	34	2785.....	43
2166.....	32		

Recd 3/7/36

METAL

CEILINGS AND WALLS

CATALOG NO. 36

Milcor